

IN THE CLAIMS

Please amend the claims as follows:

Claims 1-4 (Canceled).

Claim 5 (Currently Amended): A transmitting/receiving module ~~according to claim 1,~~
comprising:

a first amplifier which amplifies a transmission signal;

a second amplifier which amplifies a receiving signal; and

a low reflection limiter provided on an input side of said second amplifier,

wherein said low reflection limiter comprises a plurality of series connection circuits, each of which comprises a limiter diode and a resistor connected in series with each other, and at least one quarter-wavelength line, ~~provided between adjacent two series connection circuits of said plurality of series connection circuits~~ a first side of which is connected to a first series connection circuit of the plurality of series connection circuits and a second side of which is connected to a second series connection circuit of the plurality of series connection circuits.

Claim 6 (Currently Amended): A transmitting/receiving module according to claim ~~[[1]]~~ 5, wherein said low reflection limiter comprises a first directional coupler, said first directional coupler having a first terminal into which the receiving signal is inputted, a second terminal connected to a terminating resistor, a third terminal connected to a first limiter diode, and a fourth terminal connected to a second limiter diode.

Claim 7 (Original): A transmitting/receiving module according to claim 6, further comprising a second directional coupler, said second directional coupler having a first

terminal connected to the first limiter diode, a second terminal connected to the second limiter diode, a third terminal connected to the second amplifier, and a fourth terminal connected to a terminating resistor.

Claims 8-9 (Canceled).

Claim 10 (Currently Amended): A transmitting/receiving module ~~according to claim 8~~, comprising:

a first amplifier which amplifies a transmission signal;

a second amplifier which amplifies a receiving signal;

a low reflection limiter provided on an input side of said second amplifier, in which the transmission signal is radiated into an air from a radiator externally arranged in association with the transmitting/receiving module and the receiving signal is received by the radiator;

a circulator having a first terminal, a second terminal, and a third terminal,

wherein the transmission signal is inputted to the first terminal, the receiving signal is received by the radiator connected to the second terminal, the third terminal is connected to the second amplifier, and the low reflection limiter is provided between the circulator and the second amplifier, and

wherein said low reflection limiter comprises a plurality of series connection circuits, each of which comprises a limiter diode and a resistor connected in series with each other, and at least one quarter-wavelength line, ~~provided between adjacent two series connection circuits of said plurality of series connection circuits~~ a first side of which is connected to a first series connection circuit of the plurality of series connection circuits and a second side of

which is connected to a second series connection circuit of the plurality of series connection circuits.

Claim 11 (Currently Amended): A transmitting/receiving module according to claim [[8]] 10, wherein said low reflection limiter comprises a first directional coupler, said first directional coupler having a first terminal into which the receiving signal is inputted, a second terminal connected to a terminating resistor, a third terminal connected to a first limiter diode, and a fourth terminal connected to a second limiter diode.

Claim 12 (Original): A transmitting/receiving module according to claim 11, further comprising a second directional coupler, said second directional coupler having a first terminal connected to the first limiter diode, a second terminal connected to the second limiter diode, a third terminal connected to the second amplifier, and a fourth terminal connected to a terminating resistor.

Claim 13 (Original): A transmitting/receiving module comprising:
a first amplifier which amplifies a transmission signal;
a circulator having a first terminal to which the transmission signal is inputted, a second terminal connected to a radiator, which is externally arranged in association with the transmitting/receiving module, and a third terminal to which the receiving signal received by the radiator is inputted;
a first directional coupler having a first terminal connected to the third terminal of the circulator, a second terminal connected to a terminating resistor, a third terminal connected to a first limiter diode, and a fourth terminal connected to a second limiter diode.

a second amplifier connected to the first limiter diode for amplifying the receiving signal;

a third amplifier connected to the second limiter diode for amplifying the receiving signal; and

a second directional coupler having a first terminal connected to the second amplifier, a second terminal connected to the third amplifier, a third terminal into which a combined signal which is amplified by the second amplifier and the third amplifier is inputted, and a fourth terminal connected to a terminating resistor.

Claim 14 (Canceled).

Claim 15 (Currently Amended): A low reflection limiter comprising:

a plurality of series connection circuits, each of which comprises a limiter diode and a resistor connected in series to the limiter diode and having one end grounded, and at least one quarter-wavelength line, ~~provided between adjacent two series connection circuits of said plurality of series connection circuits~~ a first side of which is connected to a first series connection circuit of the plurality of series connection circuits and a second side of which is connected to a second series connection circuit of the plurality of series connection circuits.

Claim 16 (Canceled).